



TOWN OF MANSFIELD, MASSACHUSETTS
Building Department Six Park Row, Mansfield, MA 02048
Phone (508) 261-7360 Fax (508) 261-7343

APPLICATION TO INSTALL SWIMMING POOLS, SPAS, AND HOT TUBS

DATE OF APPLICATION: _____ FEE: In ground \$100/ above ground \$40

DATE OF ISSUE: _____ PERMIT NUMBER _____

BUILDING OFFICIAL APPROVAL: _____

PLEASE TYPE OR PRINT HIC REGISTRATION # _____ expiration _____
(Required for in ground pools only)

NAME & ADDRESS OF APPLICANT: _____
_____ TEL # _____

NAME & ADDRESS OF PROPERTY OWNER: _____
_____ TEL # _____

OWNERS SIGNATURE REQUIRED: * _____

ADDRESS OF POOL INSTALLATION: _____

(Circle choice) ABOVE GROUND IN GROUND GUNITE VINYL METAL WALL CONCRETE

OTHER _____ WIDTH _____ LENGTH _____ MAXIMUM DEPTH _____

A PLOT PLAN IS REQUIRED INDICATING THE LOCATION OF THE POOL

Distance to: rear lot line _____ side lines _____ from dwelling _____ other structure _____

Note: minimum 6 feet from property line-10 feet from *structure-must be in rear yard- corner lots require front yard setbacks from both streets.*Structure includes any dwelling, decks, balconies or other projections. The plot plan must be up to date, indicating these structures.

Distance to leaching facility _____ distance to septic tank _____

Board of health requirements: In ground minimum - 20' from leach facility, 10' from septic tank.

Above ground minimum - 4' from septic tank, distribution box, leach field or pits.

Type of filtration system: Diatomaceous earth _____ sand _____ cartridge _____ other _____

Will there be underwater lighting? Y / N accessory building? Y / N If yes, a separate building permit is required for the structure, indicated on the plot plan. Will the pool be heated? Y / N


Estimated cost of the pool \$ _____

Pool must conform to local zoning by-laws, state regulations, appendix G, and any other applicable sections of 780 CMR. Construction and safety requirements must be compliant and inspected before using the pool.

*** I HAVE READ AND RETAINED COPIES OF THE ATTACHED IMPORTANT INFORMATION***

Signature: _____ Under pains and penalty of perjury all statements are true

REVISED 8-28-2013



The Commonwealth of Massachusetts
 Department of Industrial Accidents
 1 Congress Street, Suite 100
 Boston, MA 02114-2017
 www.mass.gov/dia

Workers' Compensation Insurance Affidavit: Builders/Contractors/Electricians/Plumbers.
 TO BE FILED WITH THE PERMITTING AUTHORITY.

Applicant Information

Please Print Legibly

Name (Business/Organization/Individual): _____

Address: _____

City/State/Zip: _____ Phone #: _____

Are you an employer? Check the appropriate box:

1. I am an employer with _____ employees (full and/or part-time).*
2. I am a sole proprietor or partnership and have no employees working for me in any capacity. [No workers' comp. insurance required.]
3. I am a homeowner doing all work myself. [No workers' comp. insurance required.] †
4. I am a homeowner and will be hiring contractors to conduct all work on my property. I will ensure that all contractors either have workers' compensation insurance or are sole proprietors with no employees.
5. I am a general contractor and I have hired the sub-contractors listed on the attached sheet. These sub-contractors have employees and have workers' comp. insurance. ‡
6. We are a corporation and its officers have exercised their right of exemption per MGL c. 152, §1(4), and we have no employees. [No workers' comp. insurance required.]

Type of project (required):

7. New construction
8. Remodeling
9. Demolition
10. Building addition
11. Electrical repairs or additions
12. Plumbing repairs or additions
13. Roof repairs
14. Other _____

*Any applicant that checks box #1 must also fill out the section below showing their workers' compensation policy information.

† Homeowners who submit this affidavit indicating they are doing all work and then hire outside contractors must submit a new affidavit indicating such.

‡ Contractors that check this box must attached an additional sheet showing the name of the sub-contractors and state whether or not those entities have employees. If the sub-contractors have employees, they must provide their workers' comp. policy number.

I am an employer that is providing workers' compensation insurance for my employees. Below is the policy and job site information.

Insurance Company Name: _____

Policy # or Self-ins. Lic. #: _____ Expiration Date: _____

Job Site Address: _____ City/State/Zip: _____

Attach a copy of the workers' compensation policy declaration page (showing the policy number and expiration date).

Failure to secure coverage as required under MGL c. 152, §25A is a criminal violation punishable by a fine up to \$1,500.00 and/or one-year imprisonment, as well as civil penalties in the form of a STOP WORK ORDER and a fine of up to \$250.00 a day against the violator. A copy of this statement may be forwarded to the Office of Investigations of the DIA for insurance coverage verification.

I do hereby certify under the pains and penalties of perjury that the information provided above is true and correct.

Signature: _____ Date: _____

Phone #: _____

Official use only. Do not write in this area, to be completed by city or town official.

City or Town: _____ Permit/License # _____

Issuing Authority (circle one):

1. Board of Health 2. Building Department 3. City/Town Clerk 4. Electrical Inspector 5. Plumbing Inspector
 6. Other _____

Contact Person: _____ Phone #: _____

Information and Instructions

Massachusetts General Laws chapter 152 requires all employers to provide workers' compensation for their employees. Pursuant to this statute, an *employee* is defined as "...every person in the service of another under any contract of hire, express or implied, oral or written."

An *employer* is defined as "an individual, partnership, association, corporation or other legal entity, or any two or more of the foregoing engaged in a joint enterprise, and including the legal representatives of a deceased employer, or the receiver or trustee of an individual, partnership, association or other legal entity, employing employees. However the owner of a dwelling house having not more than three apartments and who resides therein, or the occupant of the dwelling house of another who employs persons to do maintenance, construction or repair work on such dwelling house or on the grounds or building appurtenant thereto shall not because of such employment be deemed to be an employer."

MGL chapter 152, §25C(6) also states that "**every state or local licensing agency shall withhold the issuance or renewal of a license or permit to operate a business or to construct buildings in the commonwealth for any applicant who has not produced acceptable evidence of compliance with the insurance coverage required.**"

Additionally, MGL chapter 152, §25C(7) states "Neither the commonwealth nor any of its political subdivisions shall enter into any contract for the performance of public work until acceptable evidence of compliance with the insurance requirements of this chapter have been presented to the contracting authority."

Applicants

Please fill out the workers' compensation affidavit completely, by checking the boxes that apply to your situation and, if necessary, supply sub-contractor(s) name(s), address(es) and phone number(s) along with their certificate(s) of insurance. Limited Liability Companies (LLC) or Limited Liability Partnerships (LLP) with no employees other than the members or partners, are not required to carry workers' compensation insurance. If an LLC or LLP does have employees, a policy is required. Be advised that this affidavit may be submitted to the Department of Industrial Accidents for confirmation of insurance coverage. **Also be sure to sign and date the affidavit.** The affidavit should be returned to the city or town that the application for the permit or license is being requested, **not** the Department of Industrial Accidents. Should you have any questions regarding the law or if you are required to obtain a workers' compensation policy, please call the Department at the number listed below. Self-insured companies should enter their self-insurance license number on the appropriate line.

City or Town Officials

Please be sure that the affidavit is complete and printed legibly. The Department has provided a space at the bottom of the affidavit for you to fill out in the event the Office of Investigations has to contact you regarding the applicant. Please be sure to fill in the permit/license number which will be used as a reference number. In addition, an applicant that must submit multiple permit/license applications in any given year, need only submit one affidavit indicating current policy information (if necessary) and under "Job Site Address" the applicant should write "all locations in _____(city or town)." A copy of the affidavit that has been officially stamped or marked by the city or town may be provided to the applicant as proof that a valid affidavit is on file for future permits or licenses. A new affidavit must be filled out each year. Where a home owner or citizen is obtaining a license or permit not related to any business or commercial venture (i.e. a dog license or permit to burn leaves etc.) said person is NOT required to complete this affidavit.

The Department's address, telephone and fax number:

The Commonwealth of Massachusetts
Department of Industrial Accidents
1 Congress Street, Suite 100
Boston, MA 02114-2017

Tel. # 617-727-4900 ext. 7406 or 1-877-MASSAFE

Fax # 617-727-7749

www.mass.gov/dia

APPENDIX G

SWIMMING POOLS, SPAS AND HOT TUBS

(The provisions contained in this appendix are not mandatory unless specifically referenced in the adopting ordinance.)

SECTION AG101 GENERAL

AG101.1 General. The provisions of this appendix shall control the design and construction of swimming pools, spas and hot tubs installed in or on the *lot* of a one- or two-family dwelling.

AG101.2 Pools in flood hazard areas. Pools that are located in flood hazard areas established by Table R301.2(1), including above-ground pools, on-ground pools and in-ground pools that involve placement of fill, shall comply with Sections AG101.2.1 or AG101.2.2.

Exception: Pools located in riverine flood hazard areas which are outside of designated floodways.

AG101.2.1 Pools located in designated floodways. Where pools are located in designated floodways, documentation shall be submitted to the *building official*, which demonstrates that the construction of the pool will not increase the design flood elevation at any point within the *jurisdiction*.

AG101.2.2 Pools located where floodways have not been designated. Where pools are located where design flood elevations are specified but floodways have not been designated, the applicant shall provide a floodway analysis that demonstrates that the proposed pool will not increase the design flood elevation more than 1 foot (305 mm) at any point within the *jurisdiction*.

SECTION AG102 DEFINITIONS

AG102.1 General. For the purposes of these requirements, the terms used shall be defined as follows and as set forth in Chapter 2.

ABOVE-GROUND/ON-GROUND POOL. See "Swimming pool."

BARRIER. A fence, wall, building wall or combination thereof which completely surrounds the swimming pool and obstructs access to the swimming pool.

HOT TUB. See "Swimming pool."

IN-GROUND POOL. See "Swimming pool."

RESIDENTIAL. That which is situated on the premises of a detached one- or two-family dwelling or a one-family *townhouse* not more than three stories in height.

SPA, NONPORTABLE. See "Swimming pool."

SPA, PORTABLE. A nonpermanent structure intended for recreational bathing, in which all controls, water-heating and water-circulating *equipment* are an integral part of the product.

SWIMMING POOL. Any structure intended for swimming or recreational bathing that contains water over 24 inches (610

mm) deep. This includes in-ground, above-ground and on-ground swimming pools, hot tubs and spas.

SWIMMING POOL, INDOOR. A swimming pool which is totally contained within a structure and surrounded on all four sides by the walls of the enclosing structure.

SWIMMING POOL, OUTDOOR. Any swimming pool which is not an indoor pool.

SECTION AG103 SWIMMING POOLS

AG103.1 In-ground pools. In-ground pools shall be designed and constructed in conformance with ANSI/NSPI-5 as listed in Section AG108.

AG103.2 Above-ground and on-ground pools. Above-ground and on-ground pools shall be designed and constructed in conformance with ANSI/NSPI-4 as listed in Section AG108.

AG103.3 Pools in flood hazard areas. In flood hazard areas established by Table R301.2(1), pools in coastal high hazard areas shall be designed and constructed in conformance with ASCE 24.

SECTION AG104 SPAS AND HOT TUBS

AG104.1 Permanently installed spas and hot tubs. Permanently installed spas and hot tubs shall be designed and constructed in conformance with ANSI/NSPI-3 as listed in Section AG108.

AG104.2 Portable spas and hot tubs. Portable spas and hot tubs shall be designed and constructed in conformance with ANSI/NSPI-6 as listed in Section AG108.

SECTION AG105 BARRIER REQUIREMENTS

AG105.1 Application. The provisions of this chapter shall control the design of barriers for residential swimming pools, spas and hot tubs. These design controls are intended to provide protection against potential drownings and near-drownings by restricting access to swimming pools, spas and hot tubs.

AG105.2 Outdoor swimming pool. An outdoor swimming pool, including an in-ground, above-ground or on-ground pool, hot tub or spa shall be surrounded by a barrier which shall comply with the following:

1. The top of the barrier shall be at least 48 inches (1219 mm) above *grade* measured on the side of the barrier which faces away from the swimming pool. The maximum vertical clearance between grade and the bottom of

- the barrier shall be 2 inches (51 mm) measured on the side of the barrier which faces away from the swimming pool. Where the top of the pool structure is above grade, such as an above-ground pool, the barrier may be at ground level, such as the pool structure, or mounted on top of the pool structure. Where the barrier is mounted on top of the pool structure, the maximum vertical clearance between the top of the pool structure and the bottom of the barrier shall be 4 inches (102 mm).
2. Openings in the barrier shall not allow passage of a 4-inch-diameter (102 mm) sphere.
 3. Solid barriers which do not have openings, such as a masonry or stone wall, shall not contain indentations or protrusions except for normal construction tolerances and tooled masonry joints.
 4. Where the barrier is composed of horizontal and vertical members and the distance between the tops of the horizontal members is less than 45 inches (1143 mm), the horizontal members shall be located on the swimming pool side of the fence. Spacing between vertical members shall not exceed 1³/₄ inches (44 mm) in width. Where there are decorative cutouts within vertical members, spacing within the cutouts shall not exceed 1³/₄ inches (44 mm) in width.
 5. Where the barrier is composed of horizontal and vertical members and the distance between the tops of the horizontal members is 45 inches (1143 mm) or more, spacing between vertical members shall not exceed 4 inches (102 mm). Where there are decorative cutouts within vertical members, spacing within the cutouts shall not exceed 1³/₄ inches (44 mm) in width.
 6. Maximum mesh size for chain link fences shall be a ~~2¹/₄ inch (57 mm) square unless the fence has slats fastened at the top or the bottom which reduce the openings~~ to not more than 1³/₄ inches (44 mm).
 7. Where the barrier is composed of diagonal members, such as a lattice fence, the maximum opening formed by the diagonal members shall not be more than 1³/₄ inches (44 mm).
 8. Access gates shall comply with the requirements of Section AG105.2, Items 1 through 7, and shall be equipped to accommodate a locking device. Pedestrian access gates shall open outward away from the pool and shall be self-closing and have a self-latching device. Gates other than pedestrian access gates shall have a self-latching device. Where the release mechanism of the self-latching device is located less than 54 inches (1372 mm) from the bottom of the gate, the release mechanism and openings shall comply with the following:
 - 8.1. The release mechanism shall be located on the pool side of the gate at least 3 inches (76 mm) below the top of the gate; and
 - 8.2. The gate and barrier shall have no opening larger than 1/2 inch (12.7 mm) within 18 inches (457 mm) of the release mechanism.
 9. Where a wall of a *dwelling* serves as part of the barrier, one of the following conditions shall be met:
 - 9.1. The pool shall be equipped with a powered safety cover in compliance with ASTM F 1346; or
 - 9.2. Doors with direct access to the pool through that wall shall be equipped with an alarm which produces an audible warning when the door and/or its screen, if present, are opened. The alarm shall be listed and *labeled* in accordance with UL 2017. The deactivation switch(es) shall be located at least 54 inches (1372 mm) above the threshold of the door; or
 - 9.3. Other means of protection, such as self-closing doors with self-latching devices, which are *approved* by the governing body, shall be acceptable as long as the degree of protection afforded is not less than the protection afforded by Item 9.1 or 9.2 described above.
 10. Where an above-ground pool structure is used as a barrier or where the barrier is mounted on top of the pool structure, and the means of access is a ladder or steps:
 - 10.1. The ladder or steps shall be capable of being secured, locked or removed to prevent access; or
 - 10.2. The ladder or steps shall be surrounded by a barrier which meets the requirements of Section AG105.2, Items 1 through 9. When the ladder or steps are secured, locked or removed, any opening created shall not allow the passage of a 4-inch-diameter (102 mm) sphere.

AG105.3 Indoor swimming pool. Walls surrounding an indoor swimming pool shall comply with Section AG105.2, Item 9.




AG105.4 Prohibited locations. Barriers shall be located to prohibit permanent structures, *equipment* or similar objects from being used to climb them.

AG105.5 Barrier exceptions. Spas or hot tubs with a safety cover which complies with ASTM F 1346, as listed in Section AG107, shall be exempt from the provisions of this appendix.

SECTION AG106 ENTRAPMENT PROTECTION FOR SWIMMING POOL AND SPA SUCTION OUTLETS

AG106.1 General. Suction outlets shall be designed and installed in accordance with ANSI/APSP-7.

SELF-LATCHING SYSTEM



**EXCEEDS BOCA
REQUIREMENTS**

Factory installed.

Easy assembly.

Fits InnovaPlas drop in steps:
9600: H2O, Bilt Mor, Fiesta, Opera
6100: Elegant
6500: Tuxedo

InnovaPlas

PRODUCTS



TOWN OF MANSFIELD, MASSACHUSETTS

Building Department
Six Park Row, Mansfield, MA 02048
Phone 508-261-7360
Fax 508-261-7343

REQUEST FOR BUILDING INSPECTION

Today's Date: _____

I, _____ hereby request an inspection under Massachusetts State Building Code 780CMR Eighth Edition 110.5 for:

- | | |
|-------------------------|--------------------------------------|
| _____ Foundation | _____ Foundation Reinspection (\$25) |
| _____ Mechanical | _____ Mechanical Reinspeciton (\$25) |
| _____ Rough _____ Final | |
| _____ Chimney | _____ Chimney Reinspection (\$25) |
| _____ Rough | _____ Rough Reinspection (\$25) |
| _____ Insulation | _____ Insulation Reinspeciton (\$25) |
| _____ Final | _____ Other Reinspection (\$25) |

Explain type of Installation: _____

Permit # REQUIRED _____ Contact # REQUIRED: _____

On Property located at: _____
Address (AND Lot Number if new subdivision)

Owner: _____ Owners Contact # REQUIRED: _____

	Signature	Builders License No.
--	-----------	----------------------

DEPARTMENT USE ONLY

Date Inspected _____ Pass _____ Fail _____

By: _____
Inspector of Buildings/Assistant Building Inspector/Mechanical Inspector.

UPON RECEIPT OF THIS REQUEST, AN INSPECTION WILL BE MADE WITHIN THREE WORKING DAYS. WHEN AN INSPECTION IS REQUESTED AND THE WORK IS NOT READY, THE PREMISES ARE LOCKED OR NOT ACCESSIBLE BY MEANS OF A SET OF STAIRS, OR THE WORK IS NOT ACCEPTABLE, A REINSPECTION FEE OF \$25 WILL BE CHARGED. THIS FEE IS TO BE PAID TO THE BUILDING DEPARTMENT PRIOR TO THE REINSPECTION.